



129408 Universelles modulares Crimpwerkzeug

Product Images





Instructions

Remove the closed lock to open the handles

Cutting modular cables:

- (1) Place the single-bladed side of the tool's cutter facing you and cut the cable to the desired length. Make sure to cut the ends straight, not diagonally.

Stripping flat cables:

- (2a) Insert 4P/6P cables into the two-bladed side of the tool's stripper until it touches the stop guide.
- (2b) Insert 8P/10P cables into the two-bladed side of the tool's stripper and let it extend a little over the lower cut blade.
- (3) Squeeze handles until stop, keep the cable perpendicular and then pull from the tool.

Stripping round cables:

- (4) Insert the cable into the round stripping hole, turn the tool in counter clockwise direction and the cable in clockwise direction simultaneously, pull from the tool.

Crimping modular plugs:

- (5) Insert the striped cable into the plug and make sure that the left wire at one end matches the right wire at the other end.
- (6) Place the modular plug with cable into the tool's holder. Be sure the stripped wire is between the tab and the gold contacts. Squeeze the handles until stop. Remove the crimped plug from the tool.



Short Description

- Mit Abisolier- und Schneidfunktion
- Crimps modulare 6P4C/RJ11-, 6P6C/RJ12-, 8P8C/RJ45-Steckverbinder
- Einfache Installation
- Hochwertige Metallausführung

Description

Die Equip Universal-Crimpzangen sind robust und kosteneffektiv. Sie verfügen über eine Abisolier- und Schneidfunktion, die sie noch vielseitiger machen.

Additional Information

Code des Harmonisierten Systems (HS)	820320
Zolltariflicher Warencode (TARIC)	8203200000
Farbe	Rot
EAN	4015867227787
Modellnummer	129408
Dimensions (W x D x H).	67.2 x 23 x 187.4 mm
Produktgewicht (kg)	0.261
Zulassungen und Konformität	RoHS
Lieferumfang	129408

