

GEU-1621 16-Port-Gigabit-Switch

Product Images



Short Description

- 16 Gigabit Ethernet ports
- 10/100/1000Mbps wire speed transmission and reception
- 9K jumbo frames to increase data transfer rates
- Supports 8K MAC address auto-learning and auto-aging
- IEEE 802.3x Flow Control protects against lost packets for reliable data transmission
- Minimize carbon footprint with advanced energy efficient technology (IEEE 802.3az)
 - 16 Gigabit Ethernet ports
 - 10/100/1000Mbps wire speed transmission and reception
 - 9K jumbo frames to increase data transfer rates
 - Supports 8K MAC address auto-learning and auto-aging
 - IEEE 802.3x Flow Control protects against lost packets for reliable data transmission
 - Minimize carbon footprint with advanced energy efficient technology (IEEE 802.3az)

Description

The GEU-1621 is equipped with 16 Gigabit ports that lead you to a real Gigabit connections. Users are able to transfer large and high bandwidth-needed files faster, and hence get a real improvement of efficiency. Offers a fast and reliable network The store-and-forward architecture filters errors and forwards packets in a non-blocking environment. Flow control ensures the correctness of data transmitting. The IEEE 802.3x and backpressure flow control mechanisms work respectively for full and half duplex modes. Power Saving Features The GEU-1621 supports IEEE 802.3az Energy Efficient Ethernet to provide power-saving benefits without compromising the performance. The switch automatically enters the sleep mode, if there is no link activity detected, using less energy than idling at full power. Easy Installation and Maintenance The switch supports Nway auto-negotiation protocol to detect the networking speed (10/100/1000 Mbps) and the duplex modes (Full/Half) automatically. Auto-MDI/MDI-X function eliminates the effort to use crossover cables. Diagnostic LEDs are provided to get real-time information of the connection status and network.

Additional Information

Gigabit RJ45	16
Code des Harmonisierten Systems (HS)	851762
Zolltariflicher Warencode (TARIC)	8517620000
Features.	16 port 10/100/1000 Mbps
Energy Saving.	IEEE 802.3az (Energy Efficient Ethernet)
Grade.	Commercial
PoE Supported.	Nein
Manageable.	Nein
Fanless.	Ja
Concurrent ports.	16,00 Total
Produktgewicht (kg)	2,6
Dimensions (W x D x H).	280 x 125 x 44 mm
Data Rate.	1Gbps
Power supply included.	Ja
Chipsatz	RTL8382L
Eingangsspannung	100-240VAC 50/60Hz
Energieverbrauch	10.1W
Paket-Weiterleitungsrate	1488000 pps
Standards	IEEE 802.3i IEEE 802.3u IEEE 802.3ab IEEE 802.3x IEEE 802.3az IEEE 802.3i IEEE 802.3u IEEE 802.3ab IEEE 802.3x IEEE 802.3az IEEE 802.3i IEEE 802.3u IEEE 802.3ab IEEE 802.3x IEEE 802.3az
Befestigung	19" rack mount
Flash-Speichergröße	4096
MAC-Adresstabelle	8K
Jumbo-Frames (KB)	9
Indikator	Power, LINK/ACT/Speed

Backplane (Gbit/s)	32
Lieferumfang	GEU-1621, Power Cord, 19" Rack Mount Kit, Quick Installation Guide
Farbe	Grey
EAN	4015867164914
Modellnummer	GEU-1621

