


128888 USB 2.0 C to C Cable , M/M, 3.0m, PD 60W

Product Images



Short Description

- USB 2.0
- USB-C to C Male

- Double shielding for error-free data transfer
- Data transfer rate up to 480Mbps
- Nickel Plated
- Jacket: PVC
- Support of USB Power Delivery (PD)
- Output Current up to 3A , 20V/3A (Max. 60W)

Description

The equip® USB-C to USB-C Charge Cable lets you charge your USB-C device as well as sync your photos, music and data to your existing laptop at transfer speeds of 480 Mbps. Plus, the cable also supports up to 3 Amps of power output for charging USB-C devices

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Shielded.	Yes
Connector 1.	USB-C, male
Connector 2.	USB-C, male
USB Power Delivery (PD).	60W
Conductor material.	Copper
Data Rate.	480Mbps
Cable Jacket material.	PVC
Standards.	USB 2.0
Approval and Compliance.	RoHS
Package Contents.	USB 2.0 C to C Cable
Color.	Black
EAN.	4015867226605
Model Number.	128888
Cable Length.	3m
Dimensions (W x D x H).	4.5 x 4.5 x 3000 mm
Product weight (kg).	0.047

