

DONN14G 7-in-1 MST Docking Station USB 3.2 Gen 1, HDMI x 2, USB-A x 3, GbE LAN, 100W USB PD


Product Images













Short Description

- 7-in-1 USB-C to HDMI/USB-C PD/USB 3.0/GbE multiport adapter
- Supports dual extended-mode displays (MST) on Windows
- Supports HDMI resolution up to 4K 30Hz
- Supports USB Power Delivery (PD) up to 100W
- Provides a Gigabit Ethernet port with speeds up to 1000Mbps
- Supports Wake-on-LAN feature to startup computers remotely
- USB 3.2 Gen 1 SuperSpeed (5Gb/s)
- Multi-platform support: Windows, macOS, ChromeOS
- Simple Plug and Play installation
- Cable length: 25cm

Description

This 7-in-1 docking station makes it possible to expand your device's USB Type-C capacity with HDMI/USB-C PD/USB 3.0/Gigabit Ethernet ports. The adapter provides an easy way to add HDTV, or equipment such as a monitor or projector to any USB-C device such as a smartphone, portable gaming console, MacBook, Chromebook Pixel or any similar latemodel laptop with USB-C ports. The multiport video adapter lets you mirror or extend content on two additional monitors simultaneously (2 x HDMI), creating a dual-screen workstation.

Multi Stream Transport, or MST, is a means of connecting one or more monitors together via a single display port. This technology makes it possible to connect say, two monitors to a laptop, using a docking station. This works by combining multiple video signals into one single stream and then "unpacking"; them again on the display side. MST works on any Windows® device that supports DP Alt Mode (DisplayPort Alternate Mode), using USB-C.

Perfect for home entertainment, office presentations and classroom teaching.

9/27/25

Additional Information

Harmonized System (HS) code. Customs product code (TARIC). 8471800000 Cable Length. 0.25m Dimensions (W x D x H). 106.5 x 43.5 x 16 mm Product weight (kg). 0.065 USB Power Delivery (PD). 100W Connector. USB-C male
Cable Length. Dimensions (W x D x H). 106.5 x 43.5 x 16 mm Product weight (kg). 0.065 USB Power Delivery (PD). 100W Connector. USB-C male
Dimensions (W x D x H). 106.5 x 43.5 x 16 mm Product weight (kg). 0.065 USB Power Delivery (PD). 100W Connector. USB-C male
Product weight (kg). USB Power Delivery (PD). Connector. USB-C male
USB Power Delivery (PD). 100W Connector. USB-C male
Connector. USB-C male
Data Rate. 5Gbps
Port Configuration. HDMI \times 2, USB-C PD \times 1, USB 3.0 \times 3, Gigabit LAN \times 1
Power supply included. No
Resolutions. 4K 30Hz Single display, 1080P 60Hz Dual display
Standards. HDMI 1.4, USB 3.2 Gen 1
Compatible operating systems. Windows XP/Vista/7/8/10/11 MacOS 10.5 or above Android 5.0 or above
Package Contents. DONN14G Multilingual quick installation guide
Color. Grey
EAN. 4015867229125
Model Number. DONN14G

