




603027 Cat.6A U/UTP Patch Cable, 10m, Red

Product Images





Short Description

- 4 x 2 AWG 26/7
- Unshielded
- 500MHz performance Bandwidth
- Transmission: 10Gbit
- Suitable for PoE, PoE+
- Stranded bare copper conductor
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- Compliant with ISO/IEC 11801 and EN 50173

Description

The equip® Cat.6A U/UTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Flat cable.	No
Shielded.	No
Shielding.	U/UTP
Connector 1.	RJ45 male
Connector 2.	RJ45 male
Category.	Cat.6A
Conductor material.	Copper
Conductor size (AWG).	26AWG
Cable Jacket material.	LSZH
Approval and Compliance.	RoHS
Operating temperature.	-20°C ~ 60°C
Package Contents.	Cat.6A U/UTP Patch Cable
Color.	Red
EAN.	4015867230206
Model Number.	603027
Cable Length.	10m
Dimensions (W x D x H).	10000 x 11 x 15 mm
Product weight (kg).	0.2667

