


605593 Cat.6 S/FTP Patch Cable, 0.25m , Black

Product Images





Short Description

- 4 x 2 AWG 28/7
- 250MHz performance Bandwidth
- Transmission: 1Gbit
- Suitable for PoE, PoE+, PoE++
- Stranded bare copper conductor
- Foil and braid shield Reduces EMI/RFI interference
- PIMF (Pairs in metal Foil)
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- Compliant with ISO/IEC 11801 and EN 50173

Description

The equip® Cat.6 S/FTP Patch Cord is composed of high-quality materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6 cable is able to deliver ultrahigh and error-free performance in the most demanding network environments.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Flat cable.	No
Shielded.	Yes
Shielding.	S/FTP
Connector 1.	RJ45 male
Connector 2.	RJ45 male
Cable Length.	0.25m
Dimensions (W x D x H).	8.34 x 11.68 x 250 mm
Product weight (kg).	0,02
Category.	Cat.6
Conductor material.	Copper
Conductor size (AWG).	28AWG
Cable Jacket material.	LSZH
Approval and Compliance.	RoHS
Package Contents.	Cat.6 S/FTP Patch Cable
Color.	Black
EAN.	4015867165614
Model Number.	605593

