

605678 Cat.6A Platinum S/FTP Patch Cable, 15m , Orange


Product Images



**Underwriters
Laboratories**

Compliance Statement

Screened Category 6A
ISO/IEC, EN & ANSI/TIA
Communication Cable



Short Description

- 4 x 2 AWG 26/7
- 500MHz performance Bandwidth
- Transmission: 10Gbit
- Suitable for PoE, PoE+, PoE++
- Stranded bare copper conductor
- Foil and braid shield Reduces EMI/RFI interference
- PIMF (Pairs in metal Foil)
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- with 3P certificate and UL listed
- Compliant with ISO/IEC 11801 and EN 50173

Description

Cat.6A Pro S/FTP Patch Cord is composed of preeminent materials and fully-examined to Cat.6A Platinum S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Flat cable.	No
Shielded.	Yes
Shielding.	S/FTP
Connector 1.	RJ45 male
Connector 2.	RJ45 male
Cable Length.	15m
Dimensions (W x D x H).	8.34 x 11.68 x 15000 mm
Product weight (kg).	0,564
Category.	Cat.6A
Conductor material.	Copper
Conductor size (AWG).	26AWG
Cable Jacket material.	LSZH
Approval and Compliance.	RoHS, 3P
Package Contents.	Cat.6A Platinum S/FTP Patch Cable
Color.	Orange
EAN.	4015867163399
Model Number.	605678

